




SUNWAY®

Sunflex Hose Fitting

One-Piece Fitting

SUNWAY®




SR001

BSPP FEMALE 60° CONE
ISO 8434-6

PART NO.	THREAD T	HOSE BORE		DIMENSIONS		
		DN	DASH	A	B	S
SR001-04-04	G1/4x19	6	04	41	18.5	19
SR001-06-05	G3/8x19	8	05	42	19.5	22
SR001-06-06	G3/8x19	10	06	46	20	22
SR001-08-08	G1/2x14	12	08	51	22.5	27
SR001-10-10	G5/8x14	16	10	56	25.3	30
SR001-12-12	G3/4x14	20	12	61	25	32
SR001-16-16	G1x11	25	16	70	27.8	41
SR001-20-20	G1-1/4x11	32	20	84	36	50
SR001-24-24	G1-1/2x11	40	24	92	35.5	55

SUNWAY




SR001H

BSPP FEMALE 60° CONE
ISO 8434-6

PART NO.	THREAD T	HOSE BORE		TUBE O.D.	DIMENSIONS			
		DN	DASH		A	B	H	S
SR001-04-04H	G1/4x19	6	04		46	23.5	12	19
SR001-06-06H	G3/8x19	10	06		50	24.5	17	22
SR001-08-08H	G1/2x14	12	08		57	29	22	27
SR001-10-08H	G1/2x14	12	08		60	29	22	30
SR001-12-08H	G1/2x14	12	08		67	31.5	27	32
SR001-12-12H	G3/4x14	20	12		69	33.5	27	32
SR001-16-16H	G1x11	25	16		77.5	35.5	32	41
SR001-20-20H	G1-1/4x11	32	20		88.5	42	41	50

SUNWAY

One-Piece Fitting




SR060

45°METRIC FEMALE 60°CONE

PART NO.	THREAD T	HOSE BORE		TUBE O.D.	DIMENSIONS			
		DN	DASH		A	B	H	S
SR060-04-04	G1/4x19	6	04		66	43	20	19
SR060-06-05	G3/8x19	8	05		70	47.5	21	22
SR060-06-06	G3/8x19	10	06		78	52.5	23.5	22
SR060-08-08	G1/2x14	12	08		92	64	26	27
SR060-10-10	G5/8x14	16	10		98	67	30	30
SR060-12-12	G3/4x14	20	12		116	80	32	32
SR060-16-16	G1x11	25	16		134	91.5	34	41
SR060-20-20	G1-1/4x11	32	20		157	109	42	50
SR060-24-24	G1-1/2x11	40	24		179	122	50	55

SUNWAY




SR051

90°BSPP FEMALE 60°CONE

PART NO.	THREAD T	HOSE BORE		DIMENSIONS			
		DN	DASH	A	B	H	S
SR051-04-04	G1/4x19	6	04	53	30	34	19
SR051-06-05	G3/8x19	8	05	55	32.5	41	22
SR051-06-06	G3/8x19	10	06	64	38	44	22
SR051-08-08	G1/2x14	12	08	76	48	53	27
SR051-10-10	G5/8x14	16	10	86	55	59	30
SR051-12-12	G3/4x14	20	12	98	62	63.5	32
SR051-16-16	G1x11	25	16	118	75.5	74	41
SR051-20-20	G1-1/4x11	32	20	142	94.5	92	50
SR051-24-24	G1-1/2x11	40	24	165	108.5	105	55

SUNWAY




SR005

JIC FEMALE 74° CONE SEAL
ISO8434-2--SAE J514

PART NO.	THREAD T	HOSE BORE		DIMENSIONS			
		DN	DASH	A	B	S	
SR005-04-04	7/16x20	6	04	40	17.5	14	
SR005-05-05	1/2x20	8	05	40	17.5	17	
SR005-06-06	9/16x18	10	06	44	18.5	19	
SR005-08-08	3/4x16	12	08	51	22.5	22	
SR005-10-10	7/8x14	16	10	54	22.5	27	
SR005-12-12	1-1/16x12	20	12	59	23.8	32	
SR005-16-16	1-5/16x12	25	16	67	25.3	41	
SR005-20-20	1-5/8x12	32	20	78	30	50	
SR005-24-24	1-7/8x12	40	24	88	31	60	

SUNWAY™




SR005H

JIC FEMALE 74° CONE SEAL
ISO8434-2--SAE J514

PART NO.	THREAD T	HOSE BORE		DIMENSIONS			
		DN	DASH	A	B	H	S
SR005-04-04H	7/16x20	6	04	42	19.5	14	14
SR005-05-05H	1/2x20	8	05	44	21.5	14	17
SR005-06-06H	9/16x18	10	06	49	23	17	19
SR005-08-08H	3/4x16	12	08	55	26.5	19	22
SR005-10-10H	7/8x14	16	10	58	26.5	22	27
SR005-12-12H	1-1/16x12	20	12	65	29	27	32
SR005-16-16H	1-5/16x12	25	16	75	32.5	32	41
SR005-20-20H	1-5/8x12	32	20	82	34	46	50
SR005-24-24H	1-7/8x12	40	24	93	36	55	60

SUNWAY




SR064

45°JIC FEMALE 74°CONE SEAL
SAE J514

代号 PART NO.	THREAD T	HOSE BORE		DIMENSIONS			
		DN	DASH	A	B	H	S
SR064-04-04	7/16x20	6	04	66	43	20	14
SR064-05-05	1/2x20	8	05	69	46	20	17
SR064-06-06	9/16x18	10	06	75	49	21	19
SR064-08-08	3/4x16	12	08	92	64	26	22
SR064-10-10	7/8x14	16	10	97	66	28	27
SR064-12-12	1-1/16x12	20	12	115	79	31.5	32
SR064-16-16	1-5/16x12	25	16	132	90	32.5	41
SR064-20-20	1-5/8x12	32	20	155	107	41	50
SR064-24-24	1-7/8x12	40	24	175	118	45	60

SUNWAY




SR055

90°JIC FEMALE 74°CONE SEAL
SAE J514

PART NO.	THREAD T	HOSE BORE		DIMENSIONS			
		DN	DASH	A	B	H	S
SR055-04-04	7/16x20	6	04	53	30	34	14
SR055-05-05	1/2x20	8	05	55	32	38	17
SR055-06-06	9/16x18	10	06	64	38	43	19
SR055-08-08	3/4x16	12	08	76	48	52	22
SR055-10-10	7/8x14	16	10	85	54	56	27
SR055-12-12	1-1/16x12	20	12	97	61	62.5	32
SR055-16-16	1-5/16x12	25	16	118	76	72	41
SR055-20-20	1-5/8x12	32	20	143	95	85	50
SR055-24-24	1-7/8x12	40	24	166	109	100	60

SUNWAY




SR006

ORFS FEMALE FLAT SEAT
ISO 8434-3--SAE J1453

PART NO.	THREAD T	HOSE BORE		DIMENSIONS			
		DN	DASH	A	B		S
SR006-04-04	9/16x18	6	04	50	27.5		17
SR006-06-05	11x16x16	8	05	42	19.5		22
SR006-06-06	11/16x16	10	06	54	28		22
SR006-08-08	13/16x16	12	08	64	36		24
SR006-10-10	1x14	16	10	72	41		30
SR006-12-12	1-3/16x12	20	12	67	31		36
SR006-16-16	1-7/16x12	25	16	67	24.5		41
SR006-20-20	1-11/16x12	32	20	89	41.5		50
SR006-24-24	2x12	40	24	96	39.5		60

SUNWAY




SR006H

ORFS FEMALE FLAT SEAT
ISO 8434-3--SAE J1453

PART NO.	THREAD T	HOSE BORE			DIMENSIONS			
		DN	DASH		A	B	H	S
SR006-04-04H	9/16x18	6	04		44	21.5	14	17
SR006-06-05H	11x16x16	8	05		44	21.5	17	22
SR006-06-06H	11/16x16	10	06		50	22	17	22
SR006-08-08H	13/16x16	12	08		53	25	19	24
SR006-10-10H	1x14	16	10		60	29	24	30
SR006-12-12H	1-3/16x12	20	12		67	31.5	30	36
SR006-16-16H	1-7/16x12	25	16		75	33	36	41
SR006-20-20H	1-11/16x12	32	20		85	37	41	50
SR006-24-24H	2x12	40	24		94	37	50	60

SUNWAY

One-Piece Fitting




SR666

45°ORFS FEMALE FLAT SEAT
ISO 8434-3--SAE J1453

PART NO.	THREAD T	HOSE BORE		DIMENSIONS			
		DN	DASH	A	B	H	S
SR666-04-04	9/16x18	6	04	62	39.5	16	17
SR666-06-05	11x16x16	8	05	67	44.5	17.5	22
SR666-06-06	11/16x16	10	06	73	47	19	22
SR666-08-08	13/16x16	12	08	87	59	21	24
SR666-10-10	1x14	16	10	94	63	25	30
SR666-12-12	1-3/16x12	20	12	113	77	28	36
SR666-16-16	1-7/16x12	25	16	130	87.5	31	41
SR666-20-20	1-11/16x12	32	20	149	101	35	50
SR666-24-24	2x12	40	24	171	114	41	60

SUNWAY




SR056

90°ORFS FEMALE FLAT SEAT
ISO 8434-3--SAE J1453

PART NO.	THREAD T	HOSE BORE		DIMENSIONS			
		DN	DASH	A	B	H	S
SR056-04-04	9/16x18	6	04	52	29.5	28.5	17
SR056-06-05	11x16x16	8	05	55	32.5	35	22
SR056-06-06	11/16x16	10	06	63	37.5	38	22
SR056-08-08	13/16x16	12	08	76	48	45	24
SR056-10-10	1x14	16	10	85	54	50.5	30
SR056-12-12	1-3/16x12	20	12	96	60	58	36
SR056-16-16	1-7/16x12	25	16	119	76.5	69	41
SR056-20-20	1-11/16x12	32	20	143	95	80	50
SR056-24-24	2x12	40	24	166	109.5	93	60

SUNWAY




SR023

SAE FLANGE 3000 PSI
CONE61 SAEJ518

PART NO.	FLANGE SIZE	HOSE BORE		DIMENSIONS				
		DN	DASH	A	B	F		
SR023-08-08	1/2"	12	08	74	46	30		
SR023-12-12	3/4"	20	12	84	48	38		
SR023-16-16	1"	25	16	94	52	45		
SR023-20-20	1-1/4"	32	20	106	58	51		
SR023-24-24	1-1/2"	40	24	125	68	60		
SR023-32-32	2"	50	32	138	79	71		

SUNWAY




SR068

45°SAE FLANGE 3000 PSI
CONE61 SAEJ518

PART NO.	FLANGE SIZE	HOSE BORE		DIMENSIONS				
		DN	DASH	A	B	F	H	
SR068-08-08	1/2"	12	08	90	62	30	24	
SR068-12-12	3/4"	20	12	114	78	38	30	
SR068-16-16	1"	25	16	130	88	45	30	
SR068-20-20	1-1/4"	32	20	150	102	51	35	
SR068-24-24	1-1/2"	40	24	172	115	60	40	
SR068-32-32	2"	50	32	205	146	71	43	

SUNWAY




SR059

90°SAE FLANGE 3000 PSI CONE61
SAEJ518

PART NO.	FLANGE SIZE	HOSE BORE		DIMENSIONS				
		DN	DASH	A	B	F	H	
SR059-08-08	1/2"	12	08	76	48	30	49	
SR059-12-12	3/4"	20	12	92	56	38	60	
SR059-16-16	1"	25	16	118	75.5	45	69	
SR059-20-20	1-1/4"	32	20	142	94.5	51	79	
SR059-24-24	1-1/2"	40	24	164	107.5	60	94	
SR059-32-32	2"	50	32	201	142	71	110	

SUNWAY




SR024

SAE FLANGE 6000 PSI
CONE62 SAEJ518

PART NO.	FLANGE SIZE	HOSE BORE		DIMENSIONS				
		DN	DASH	A	B	F		
SR024-08-08	1/2"	12	08	75	47	32		
SR024-12-12	3/4"	20	12	87	51.5	41		
SR024-16-16	1"	25	16	100	58	48		
SR024-20-20	1-1/4"	32	20	114	66	54		
SR024-24-24	1-1/2"	40	24	132	75	64		
SR024-32-32	2"	50	32	135	76	79		

SUNWAY




SR069

45°SAE FLANGE 6000 PSI
CONE62 SAEJ518

PART NO.	FLANGE SIZE	HOSE BORE		DIMENSIONS				
		DN	DASH	A	B	F	H	
SR069-08-08	1/2"	12	08	90	62	32	24	
SR069-12-12	3/4"	20	12	121	85	41	32	
SR069-16-16	1"	25	16	135	92.5	48	35	
SR069-20-20	1-1/4"	32	20	156	108.5	54	43	
SR069-24-24	1-1/2"	40	24	162	105.5	64	42	
SR069-32-32	2"	50	32	210	151	79	44	

SUNWAY

One-Piece Fitting




SR058

90°SAE FLANGE 3000 PSI
CONE62 SAEJ518

PART NO.	FLANGE SIZE	HOSE BORE		DIMENSIONS				
		DN	DASH	A	B	F	H	
SR058-08-08	1/2"	12	08	76	48	32	49	
SR058-12-12	3/4"	20	12	98	62	41	63	
SR058-16-16	1"	25	16	121	76	48	75	
SR058-20-20	1-1/4"	32	20	144	95	54	90	
SR058-24-24	1-1/2"	40	24	170	108	64	98	
SR058-32-32	2"	50	32	208	143	79	132	

SUNWAY




SR803

METRIC FEMALE 24° CONE O-RING L.T.
ISO 8434-1--DIN 3865

PART NO.	THREAD T	HOSE BORE		TUBE O.D.	DIMENSIONS				
		DN	DASH		A	B	S		
SR803-14-04	M14X1.5	6	04	8	43	20.5	17		
SR803-14-04L	M14X1.5	6	04	8	46	25	17		
SR803-16-05	M16X1.5	8	05	10	43	20	19		
SR803-16-05L	M16X1.5	8	05	10	48	25	19		
SR803-18-06	M18X1.5	10	06	12	47	21	22		
SR803-18-06L	M18X1.5	10	06	12	53	27	22		
SR803-22-08	M22X1.5	12	08	15	54	25.5	27		
SR803-22-08L	M22X1.5	12	08	15	59	30.5	27		
SR803-26-10	M26X1.5	16	10	18	57	25.5	32		
SR803-26-10L	M26X1.5	16	10	18	63	32	32		
SR803-30-12	M30X2	20	12	22	63	27.5	36		
SR803-30-12L	M30X2	20	12	22	71	35	36		
SR803-36-16	M36X2	25	16	28	71	29	41		
SR803-36-16L	M36X2	25	16	28	79	36.5	41		
SR803-45-20	M45X2	32	20	35	86	38	50		
SR803-52-24	M52X2	40	24	42	102	45	60		

SUNWAY

One-Piece Fitting




SR863

45°METRIC FEMALE 24°CONE O-RING L.T.
ISO 8434-1--DIN 3865

PART NO.	THREAD T	HOSE BORE		TUBE O.D.	DIMENSIONS			
		DN	DASH		A	B	H	S
SR863-14-04	M14X1.5	6	04	8	67	45	22	17
SR863-16-05	M16X1.5	8	05	10	71	48	22	19
SR863-18-06	M18x1.5	10	06	12	78	52	23	22
SR863-22-08	M22X1.5	12	08	15	94	61	28	27
SR863-26-10	M26X1.5	16	10	18	101	70	30	32
SR863-30-12	M30X1.5	20	12	15	119	83	35	36
SR863-36-16	M36X1.5	25	16	22	137	94.5	36	41
SR863-45-20	M45X2	32	20	35	155	108	40	50
SR863-52-24	M52X2	40	24	42	178	122	47	60

SUNWAY




SR853

90°METRIC FEMALE 24°CONE O-RING L.T.
ISO 8434-1--DIN 3865

PART NO.	THREAD T	HOSE BORE		TUBE O.D.	DIMENSIONS			
		DN	DASH		A	B	H	S
SR853-14-04	M14X1.5	6	04	8	55	32	36	17
SR853-16-05	M16X1.5	8	05	10	55	32	41	19
SR853-18-06	M18X1.5	10	06	12	64	38	44	22
SR853-22-08	M22X1.5	12	08	15	77	49	53	27
SR853-26-10	M26X1.5	16	10	18	85	54	58	32
SR853-30-12	M30X2	20	12	22	98	62	67	36
SR853-36-16	M36X2	25	16	28	119	77	77	41
SR853-45-20	M45X2	32	20	35	143	96	85	50
SR853-52-24	M52X2	40	24	42	167	110	105	60

SUNWAY




SR804

METRIC FEMALE 24° CONE O-RING H.T.
ISO 8434-1--DIN 3865

PART NO.	THREAD T	HOSE BORE		TUBE O.D.	DIMENSIONS				
		DN	DASH		A	B	S		
SR804-16-04	M16x1.5	6	04	8	44	23	19		
SR804-16-04L	M16x1.5	6	04	8	49	26.5	19		
SR804-18-05	M18x1.5	8	05	10	43	20	22		
SR804-18-05L	M18x1.5	8	05	10	49	26	22		
SR804-20-06	M20x1.5	10	06	12	49	23.5	24		
SR804-20-06L	M20x1.5	10	06	12	55	29	24		
SR804-24-08	M24x1.5	12	08	16	55	27.5	30		
SR804-24-08L	M24x1.5	12	08	16	63	34.5	30		
SR804-30-10	M30x2	16	10	20	60	29	36		
SR804-30-10L	M30x2	16	10	20	67	36	36		
SR804-36-12	M36x2	20	12	25	65	29	46		
SR804-36-12L	M36x2	20	12	25	72	36	46		
SR804-42-16	M42x2	25	16	30	71	29	50		
SR804-42-16L	M42x2	25	16	30	80	38	50		
SR804-52-20	M52x2	32	20	38	83	35.5	60		
SR804-52-20L	M52x2	32	20	38	94	46	60		

SUNWAY




SR864

45°METRIC FEMALE 24°CONE O-RING H.T.
ISO 8434-1--DIN 3865

PART NO.	THREAD T	HOSE BORE		TUBE O.D.	DIMENSIONS			
		DN	DASH		A	B	H	S
SR864-16-04	M16x1.5	6	04	8	70	45.5	22	19
SR864-18-05	M18x1.5	8	05	10	70	47	22	22
SR864-20-06	M20x1.5	10	06	12	75	47	24	24
SR864-24-08	M24x1.5	12	08	16	95	67	29	30
SR864-30-10	M30x2	16	10	20	100	69	32	36
SR864-36-12	M36x2	20	12	25	118	82	35	46
SR864-42-16	M42x2	25	16	30	134	91.5	34	50
SR864-52-20	M52x2	32	20	38	159	111	44	60

SUNWAY



SR854

90°METRIC FEMALE 24°CONE O-RING H.T.
ISO 8434-1--DIN 3865

PART NO.	THREAD T	HOSE BORE		TUBE O.D.	DIMENSIONS			
		DN	DASH		A	B	H	S
SR854-16-04	M16x1.5	6	04	8	53	30	36.5	19
SR854-18-05	M18x1.5	8	05	10	55	32	41	22
SR854-20-06	M20x1.5	10	06	12	67	39	45.5	24
SR854-24-08	M24x1.5	12	08	16	76	48	55	30
SR854-30-10	M30x2	16	10	20	84	53	61.5	36
SR854-36-12	M36x2	20	12	25	97	61	66.5	46
SR854-42-16	M42x2	25	16	30	118	76	74.5	50
SR854-52-20	M52x2	32	20	38	144	96	91	60

SUNWAY®